

according to Regulation (EC) No 1907/2006

UC40 BioSonic Universal Ultrasonic Cleaner

Revision date: 09.03.2017 Print date: 09.03.2017 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

UC40 BioSonic Universal Ultrasonic Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Coltène/Whaledent GmbH & Co. KG

Street: Raiffeisenstraße 30
Place: D-89129 Langenau
Telephone: +49 (7345) 805 0
Telefax: +49 (7345) 805 201
e-mail: info.de@coltene.com
Internet: www.coltene.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements: Harmful if inhaled.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether

tetrasodium ethylene diamine tetraacetate

Alcohol, C9-11, Ethoxylated (9EO)

Sodium-N-lauroylsarcosinate

Signal word: Danger

Pictograms:





Hazard statements

H318 Causes serious eye damage.

H332 Harmful if inhaled.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



according to Regulation (EC) No 1907/2006

UC40 BioSonic Universal Ultrasonic Cleaner

Revision date: 09.03.2017 Print date: 09.03.2017 Page 2 of 9

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | | |
|------------|---|---|---------------------|---------|--|
| | EC No | Index No | REACH No | | |
| | Classification according to Regula | tion (EC) No. 1272/2008 [CLP] | • | | |
| 111-76-2 | 2-butoxyethanol, butyl cellosolve, | ethylene glycol monobutyl ether | | 2 - 6 % | |
| | 203-905-0 | 603-014-00-0 | | | |
| | Acute Tox. 4, Acute Tox. 4, Acute | Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H302 F | H312 H332 H315 H319 | | |
| 64-02-8 | tetrasodium ethylene diamine tetraacetate | | | | |
| | 200-573-9 | 607-428-00-2 | | | |
| | Acute Tox. 4, Eye Dam. 1; H302 H318 | | | | |
| 68439-45-2 | Alcohol, C9-11, Ethoxylated (9EO) | | | | |
| | | | | | |
| | Acute Tox. 4, Eye Dam. 1; H302 H318 | | | | |
| 137-16-6 | Sodium-N-lauroylsarcosinate | | | | |
| | 205-281-5 | | | | |
| | Acute Tox. 1, Skin Irrit. 2, Eye Dam. 1; H330 H315 H318 | | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

After skin contact: Irritant, erythema (redness). Following eye contact: Conjunctival redness. In case of ingestion: erythema (redness), Nausea. Following inhalation: Irritation to respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

UC40 BioSonic Universal Ultrasonic Cleaner

Revision date: 09.03.2017 Print date: 09.03.2017 Page 3 of 9

5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Gases/vapours, toxic.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid: Generation/formation of mist.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Provide adequate ventilation as well as local exhaustion at critical locations.

Advice on storage compatibility

Do not store together with: Strong acid. Oxidising agent, strong.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|----------|-----------------|-----|-------|-----------|---------------|--------|
| 111-76-2 | 2-Butoxyethanol | 25 | 123 | | TWA (8 h) | WEL |
| | | 50 | 246 | | STEL (15 min) | WEL |



according to Regulation (EC) No 1907/2006

UC40 BioSonic Universal Ultrasonic Cleaner

Revision date: 09.03.2017 Print date: 09.03.2017 Page 4 of 9

Biological Monitoring Guidance Values (EH40)

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|----------|-----------------|-------------------|-----------------|---------------|---------------|
| 111-76-2 | 2-Butoxyethanol | butoxyacetic acid | 240 mmol/mol | | Post shift |

DNEL/DMEL values

| CAS No | Substance | | | |
|----------------------|-----------------------------|----------------|----------|----------------------|
| DNEL type | | Exposure route | Effect | Value |
| 137-16-6 | Sodium-N-lauroylsarcosinate | | | |
| Consumer DNEL, acute | | inhalation | systemic | 5,0 mg/m³ |
| Consumer DNEL, acute | | oral | | 0,15 mg/kg bw/day |

PNEC values

| CAS No | Substance | | | | |
|---------------------------------|-----------------------------|------------|--|--|--|
| Environmental compartment Value | | | | | |
| 137-16-6 | Sodium-N-lauroylsarcosinate | | | | |
| Freshwater 0,029 | | 0,029 mg/l | | | |
| Marine water 0,003 mg/l | | 0,003 mg/l | | | |

Additional advice on limit values

none

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: blue



according to Regulation (EC) No 1907/2006

UC40 BioSonic Universal Ultrasonic Cleaner

Revision date: 09.03.2017 Print date: 09.03.2017 Page 5 of 9

Odour: characteristic

Test method

pH-Value: 6 - 8

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined not determined not determined not determined

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

not determined

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density: not determined

Water solubility: not determined

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

viscosity / kinematic:

not determined

vapour density:

not determined

rot determined

not determined

not determined

rot determined

9.2. Other information

Odour threshold: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Heat.



according to Regulation (EC) No 1907/2006

UC40 BioSonic Universal Ultrasonic Cleaner

Revision date: 09.03.2017 Print date: 09.03.2017 Page 6 of 9

10.5. Incompatible materials

Strong acid. Oxidising agent, strong.

10.6. Hazardous decomposition products

In case of fire may be liberated: Gases/vapours, toxic.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if inhaled.

ATEmix calculated

ATE (inhalative vapour) 10,70 mg/l; ATE (inhalative aerosol) 1,087 mg/l

| CAS No | Chemical name | | | | |
|------------|--|------|--------------|---------|--------------|
| | Exposure route | Dose | | Species | Source |
| 111-76-2 | 2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether | | | | |
| | oral | LD50 | 470 mg/kg | Rat | Manufacturer |
| | dermal | ATE | 1100 mg/kg | | |
| | inhalative vapour | ATE | 11 mg/l | | |
| | inhalative aerosol | ATE | 1.5 mg/l | | |
| 64-02-8 | tetrasodium ethylene diamine tetraacetate | | | | |
| | oral | ATE | 500 mg/kg | | |
| 68439-45-2 | Alcohol, C9-11, Ethoxylated (9EO) | | | | |
| | oral | ATE | 500 mg/kg | | |
| 137-16-6 | Sodium-N-lauroylsarcosinate | | | | |
| | oral | LD50 | > 5000 mg/kg | Rat | Manufacturer |
| | inhalative vapour | ATE | 0.05 mg/l | | |
| | inhalative aerosol | ATE | 0.005 mg/l | | |

Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

Other observations

After skin contact: Irritant, erythema (redness).

Following eye contact: Conjunctival redness.



according to Regulation (EC) No 1907/2006

UC40 BioSonic Universal Ultrasonic Cleaner

Revision date: 09.03.2017 Print date: 09.03.2017 Page 7 of 9

In case of ingestion: erythema (redness), Nausea. Following inhalation: Irritation to respiratory tract.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | | |
|----------|-----------------------------|------|----------|-----------|-----------------------------------|--------------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | |
| 137-16-6 | Sodium-N-lauroylsarcosinate | | | | | | |
| | Acute fish toxicity | LC50 | 107 mg/l | | Brachydanio rerio (zebra-fish) | Manufacturer | |

12.2. Persistence and degradability

Product is biodegradable.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

Yes.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

| <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Inland waterways transport (ADN)

| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| 14.1. UN number: | No dangerous good in sense of this transport regulation. |
|-----------------------------------|--|
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |



according to Regulation (EC) No 1907/2006

| UC40 BioSonic Universal | Ultrasonic Cleaner |
|--------------------------------|---------------------------|
|--------------------------------|---------------------------|

Revision date: 09.03.2017 Print date: 09.03.2017 Page 8 of 9

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|------|--------------------------------|
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H332 | Harmful if inhaled. |

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product



according to Regulation (EC) No 1907/2006

UC40 BioSonic Universal Ultrasonic Cleaner

Revision date: 09.03.2017 Print date: 09.03.2017 Page 9 of 9

properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)